coster group

PERSONAL AUTOMATION

WebGarage

E-mail configuration for sending alarms.

Rev. 1.0

1. E-mail

There are two types of email addresses to set up in WebGarage.

- Sending E-mail
- Receiving E-mail

1.1 Sending E-mail

The server must be able to send e-mails of alarms, notes and other types of reports.
This is set in the “settings” section on the WebGarage home screen.
This is where the Superuser can configure the SMTP settings to be able send out e-mails fron the system.

- Server URI: SMTP server host and port formatted as smtp: // host
- SMTP Port: SMTP port number
- USE TLS: Use TKS/SSL when connectin to SMTP server
- Username: Username for authentication with SMTP server
- From: From e-mail address to use for e-mails
- Password

The Super User is able to test the email configuration to make sure it works correctly by selecting the Test button located at the top right.

NOTE: For some e-mail managers it is necessary to enable permissions to receive e-mails from external software, since the messages sent by WebGarage can be interpreted as SPAM or Threatening.

1.2 Receiving E-mail

The e-mails to receive notifications or alarms sent by the WebGarage are set to individual users.

For example, by selecting the user Pippo and push the Edit User button, a window will appear with the different configurations for the selected user.

You can see that the main data with which the user was created are shown in the "Essentials" section. Still in the same window, scrolling down you will find the "Custom Properties" section where the following options are shown:

- **Topics e-mail digest:** Applied to user records to indicate which topics the user is subscribed to for daily e-mail delivery.
  If you press the down arrow, this window will appear, where the user can select which Topics or daily topics will be enabled for e-mail delivery.

- **Topics e-mail immediate:** Applied to user records to indicate which topics the user is subscribed to for immediate email delivery. If you push the down arrow, this window will appear, where the user can select which topics will be enabled for immediate e-mail delivery.